diplomat SAFE

Safe and Storage solutions

safes, cupboards and cabinets catalogue

Protect your assets from fire, damage and theft...

with Diplomat's complete range of safes, security cabinets and cupboards.

Fire Test Process and Result

1.
Test Safe Load
The specimen is loaded in the furnace. Temperatures at six (6) points inside the safe are checked by the sensors of thermocouples.

2, 3.
Heating Test
At the temperature of 1,010ºC the safe is heated in the airtight furnace over 60 minutes to 120 minutes. The maximum inside temperature allowed by SP and KS are 150ºC and 177ºC respectively.

4.
Check Result
Heating test is finished and the test safe is taken out to check if the inside paper matters are safe without burnt out. KS defines that the papers should be readable.

5.
Test Furnace

Global Quality Certifications

ISO 9001 Certified
Quality Assurance System ISO 9001 certified by EQA ICC (Environment Quality International Certification Centre)

KS Certified
Fire Resistance and Impact tested under KS G 4500 and certified P-1TKS
Korea//Cert.Temp 177ºC/Contents: Paper

P Certified
Fire Resistance tested and certified 60P, 90P 120P Under NT Fire 017 by SP (Swedish National Testing and Research Institute).
Sweden/Cert.Temp 150ºC/Contents: Paper
Sweden/Cert.Temp 30ºC/50ºC/Contents: Diskette/Data Media

UL Certified
Fire Resistance tested and certified Class 350-1 fr by UL. (Underwriters Laboratories Inc.)
USA/Cert.Temp 177ºC/Contents: Paper

GOST Certified
Fire Resistant tested and approved by the Russian Committee of Certification.
Russia/Cert.Temp 170ºC/Contents: Paper

API distributes the widest range of Diplomat fire, data and security safes and filing cabinets through safe stockists, retail showrooms and reseller outlets across Australia. Whether you need a solution for personal or business use, this Safe and Storage product brochure is designed to help you make the right choice. After identifying your needs, be sure to ask your stockist for more detailed information as these products come in a variety of sizes and feature options.

Why choose a Diplomat Safe?

- A variety of sizes and optional features to suit your specific requirements
- The highest standard of quality in construction and design
- Proven protection – trusted and used by governments, retailers, banks and insurance companies
- Full manufacturer's warranty with national after sales service and support, 24 hours, 7 days a week
- When you need to protect valuable assets, Diplomat Safes have the range, quality, features and benefits to offer you the best possible solution.

diplomat SAFE

Contents

Home Safes	2
Record Protection Safes	3
Document & Data Combination Safes	4
Fire Security Safes	5
Cash Deposit Safes	6
Fire Resistant Filing Cabinets	7
Data Safes	8
Secure Key Cabinets	9

Home Safes

Diplomat Home Safes with push button electronic digital lock (EDL) offer comfort, convenience, reliability and peace of mind.

1 HOUR DOCUMENT PROTECTION

The Diplomat range of document Home Safes are designed to meet a variety of home and business uses. Available in 4 different sizes, Diplomat safes keep your precious paper documents secure and protected from fire and theft.

Features and Benefits

- Store and protect A4 documents
- Large capacity

Body
Steel lining enclosing a barrier of styronite fire resistant material.

001EN AVAILABLE IN BLACK AND CREAM

119EN AVAILABLE ONLY IN CREAM

125EN AVAILABLE IN BLACK, RED AND CREAM

530EN AVAILABLE ONLY IN CREAM AND BLACK

Door
Pressed steel construction enclosing a barrier of styronite fire resistant material. The door opens 180º to facilitate easy removal of the door for delivery or replacement.

Boltwork
The door is secured to the body by 16mm moving steel bolts at the opening side and by 18mm fixed steel bolts on the hinge side. When the door is open the moving bolts remain retracted.

Locking
The door is secured by a dual user high quality EDL digital lock.

Internal fittings
Drawers and adjustable shelves are supplied with some safes, refer to the table below.

Finish
Durable acrylic urethane leather-tone finish.

Fire Tests
Fire Resistant and impact tested and certified for 1 hour. 60p, NT Fire 017 - Swedish National Testing & Research Institute (SP) KSG 4500 & PITKS-Korean Standards Association (KSA).

Available in

Specifications

MODEL	EXTERNAL (MM)			INTERNAL (MM)			CAPACITY LITRES	WEIGHT KG	FIRE CLASS	FITTINGS
	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH				
001EN	300	410	342	220	330	225	16	26	60 Paper	-
119EN	352	412	363	260	320	234	19	31	60 Paper	1 x T
125EN	412	352	433	320	260	304	25	36	60 Paper	1 x T 1 x S
530EN	514	404	440	410	300	300	36	53	60 Paper	1 x T 1 x S

Locking system: digital **Installation:** mounting holes with wood screws supplied **User manual:** Provided **T:** Tray **S:** Shelf

Home and Office Record Protection Safes

The Diplomat range of Home and Office safes are available in 7 different sizes.

1 HOUR DOCUMENT PROTECTION MAX. 2 HRS

Features and Benefits

- Large capacity
- Perfect for lever arch folders
- Secure lockable drawers
- Extra fire protection time length

Body
Steel lining enclosing a barrier of styronite fire resistant material.

Door
Pressed steel construction enclosing a barrier of styronite fire resistant material. The door opens 180º to facilitate easy removal of the door for delivery or replacement.

Boltwork
The door is secured to the body by moving bolts at the top, bottom and opening side and also by fixed bolts on the hinge side. When the door is open the moving bolts remain retracted and automatically lock when the door is closed. Automatic bolt action prevents damage to the boltwork and cabinet, and enables speedy locking in case of emergency.

Locking
The door is secured by a dual user high quality EDL digital lock.

Internal fittings
Adjustable shelves and lockable drawers are supplied with each safe.

Finish
Leathertone painted finish.

Fire Tests
Fire Resistant and impact tested and certified. KSG 4500, PITKS – Korean Standards Association (KSA).
60P, 90P, 120P, NT Fire 017 – Swedish National Testing and Research Institute (SP)

006EH

070EH 080EH

Specifications

MODEL	EXTERNAL (MM)			INTERNAL (MM)			CAPACITY LITRES	WEIGHT KG	FIRE CLASS	FITTINGS
	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH				
006EH	530	450	460	430	350	328	49	64	60 Paper	1 x S 1 x D
070EH	635	500	500	515	380	330	64	90	90 Paper	1 x S 1 x D
080EH	816	520	520	676	380	330	84	122	90 Paper	1 x S 1 x D
110EH	1060	655	560	880	475	350	146	209	120 Paper	2 x S 1 x D
130EH	1385	775	650	1205	595	440	315	348	120 Paper	3 x S 1 x D
200EH	1630	775	650	1450	595	440	379	388	120 Paper	3 x S 1 x D
L300EH	1685	1126	700	1505	946	490	698	540	120 Paper	3 x S 2 x D

Locking system: digital **Installation:** mounting holes with wood screws supplied (Except 200EH, L300EH) **User manual:** Provided **D:** Drawer **S:** Shelf

Document and Data Combination Safes

The Diplomat Document and Data Combination Safes provide protection of documents and data storage devices in one convenient secure location.

MIN. 1 HOUR DATA + DISC PROTECTION

Ideal for business or home, these combination safes provide the best storage solution for your document and data storage needs. Available in 2 sizes.

DIS0708

Internal Layout and Sizes
Drawers and Shelves are included.
Data insert included in all models.
DIS0708 104H x 275W x 231D (mm)

DC3070EH DC3080EH

Features and Benefits

- Store and protect documents and data
- Limited space? Perfect design to secure documents and data
- Protect and secure A4 files or folders, CD's and USB's
- Two storage units in one at an affordable price!

Locking System
The door is secured by a dual user high quality EDL digital lock.

Finish
Durable acrylic urethane leather-tone finish.

Door
Pressed steel construction enclosing a barrier of styronite fire resistant material. The door opens 180º to facilitate easy removal of the door for delivery or replacement.

Fire Test
Fire Resistant and Impact tested and certified.
NT Fire 017 – Swedish National Testing and Research Institute.

Maximum permissible temp. inside the data insert
Data: 50˚C Diskette: 30˚C

Specifications

MODEL	EXTERNAL (MM)			INTERNAL (MM)			WEIGHT KG	FIRE CLASS	FITTINGS
	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH			
DC3070EH	635	500	500	305	380	330	100	90 x Data 90 x Disc	1 x S 1 x D
DC3080EH	816	520	520	466	380	330	132	90 x Data 90 x Disc	1 x S 1 x D

Locking system: digital **Installation:** Free standing **User manual:** Provided

S: Shelf **D:** Drawer

Data Insert Storage Capacity

MODEL	FIRE CLASS	MEDIA QUANTITY (pcs)						
		4mm DAT	8mm/ AIT	CD	DLT	LTO/Ultrium (HP)	LTO/Ultrium (without case)	3590 Cartridge (without case)
DC3070EH	90 x Data 90 x Diskette	64	34	20	12	-	24	8
DC3080EH	90 x Data 90 x Diskette	64	34	20	12	-	24	8

Fire and Security Safes

These safes are manufactured in a modern Korean factory under quality management system ISO 9001 to provide fire and security protection.

1 HOUR DOCUMENT PROTECTION

The Fire and Security Safes are manufactured with high quality thick steel plating for added protection. The locking mechanism is covered with a drill resistant steel plate. Heavy duty steel hinges are provided for added protection from outside attack.

FS5601 FS5602

Features and Benefits

- Safely secure cash and documents in one convenient location
- Convenient for home or office storage requirements

Sizes
Available in 4 sizes.

Body
Thick steel plate to provide additional security. The door is supplied with heavy duty hinges.

Door
Pressed steel construction enclosing a barrier of styronite fire resistant material. The door opens 180º to facilitate easy removal of the door for delivery or replacement.

Locking System
The door is secured by a dual user high quality EDL digital lock complete with a spring loaded relocking device for extra security. Supplied with a minimum of five 28mm steel locking bolts.

Fire Test
In-house tested for fire and security.
UL Class 350 1Hr
UL Class 1037 RSC

Installation
Supplied with anchor holes.

Finish
Durable acrylic urethane leather-tone finish in cream.

Specifications

MODEL	EXTERNAL (MM)			INTERNAL (MM)			CAPACITY LITRES	WEIGHT KG	FIRE CLASS	FITTINGS
	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH				
FS5601	520	520	560	400	400	365	58	95	60 Paper	1 Shelf
FS5602	700	630	560	580	510	365	108	145	60 Paper	1 Shelf
FS5603	860	630	560	740	510	365	137	170	60 Paper	2 Shelves
FS5604	1050	630	560	930	510	365	171	195	60 Paper	2 Shelves

Locking system: digital **Installation:** Two mounting anchor holes **User manual:** Provided

Security Chest
Cash Deposit Safes

Security Chests are convenient and secure. Designed to secure, store and protect documents, cash and valuables at home or the office.

Deposit Safes are designed for cash handling businesses. They provide immediate deposit for cash notes and coins, and offers instant protection for burglary. If the front door is opened on the DS30 model, deposits can be made through the upper loading hopper and remain secure.

Security Chest is available with slot for cash or envelope deposits.

DS30

Features and Benefits

- Store and secure cash
- Cash drops using slot or drawer providing immediate cash protection
- Reduce shrinkage

Body
Solid steel construction with steel door thickness. Doors from 9 -12mm thick. Body from 3.2 - 6mm thick.

Internal Layout
Adjustable shelf.

Locking System
The door is secured by a dual user high quality EDL digital lock.

SC42

SC58S

Specifications

MODEL	EXTERNAL (MM)			INTERNAL (MM)			CAPACITY LITRES	WEIGHT KG	FITTINGS
	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH			
DS30	762	508	508	500	436	440	112	85	1 Shelf 1 Cupboard
SC42	420	380	380	408	354	315	44	55	1 Shelf
SC58S	580	380	380	568	354	315	61	71	1 Shelf

Locking system: digital **Installation:** Free standing or bolted down **User manual:** Provided

Fire Resistant Filing Cabinets

1 HOUR DOCUMENT PROTECTION

The Diplomat Fire Resistant Filing Cabinets are ideal for the home or office. Built with added security to protect your documents and data from fire and theft.

1

2 

3

4

1. Before heating
2. Heating
3. After heating
4. Interior of tested drawer

DFC2000E DFC4000E

Features and Benefits

- Secure payroll information
- Secure and file documents
- Drawers can hold up to 50kg
- Each drawer is independently fire insulated when closed
- Ability to allow selected drawers to be permanently unlocked for general access.
- Heavy duty slide rails

Insulation
Insulated with reinforced gypsum that is low temperature oven dried to reduce free moisture to less that half a percent. An insulated bulkhead between each drawer provides additional protection.

Internal Fittings
Each drawer is built with high sides to accommodate hanging file folders so no additional frames are required.

Fire Test
Independently tested to the most stringent international standards. 60p, NT Fire 017 - Swedish National Testing & Research Institute (SP)

Specifications

MODEL	EXTERNAL (MM)			WEIGHT KG	FIRE CLASS
	HEIGHT	WIDTH	DEPTH		
DFC2000E	722	528	675	145	60 Paper
DFC4000E	1406	528	675	266	60 Paper

Locking system: digital **Installation:** Free standing **User manual:** Provided

Data Insert Storage Capacity

SIZE (MM)	FIRE CLASS	MEDIA QUANTITY (pcs)							
		3.5 Diskette DAT	4mm/ DAT Tape	8mm Tape/ AIT Tape	CD	ZIP Drive	DLT	LTO/ Ultrium	3590 Cartridge
H162 x W282 x D402	120 x Data 90 x Diskette	593	206	115	88	115	37	54	45

Data Safes

A must for all businesses, the Diplomat Data Safe is the most reliable, safe and efficient way to protect your data storage devices.

MIN. 1 HOUR DATA + DISC PROTECTION

DT2200EH DS1125EN DS1070EH DT2300EH

Computer media can be easily damaged in low level heat above 50°C or humidity above 85°C.

Specifications

MODEL	EXTERNAL (MM)			INTERNAL (MM)			CAPACITY LITRES	WEIGHT KG	FIRE CLASS	FITTINGS
	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH				
DS1125EN	412	352	433	224	157	206	7	43	60min [1] [2]	1 Shelf
DS1530EN	514	404	440	314	197	201	12.4	65	60min [1] [2]	1 Shelf
DS1070EH	635	500	500	419	277	231	27	117	90min [1] [2]	2 Shelves
DT2825EH	770	690	720	489	402	406	80	254	120min [1] [2]	2 x T 1 x S
DT2120EH	1160	690	720	879	402	406	143	337	120min [1] [2]	4 x T 1 x S
DT2200EH	1685	690	720	1404	402	406	229	541	120min [1] [2]	5 x T 2 x S
DT2300EH	1685	1200	720	1404	804	406	458	765	120min [1] [2]	10 x T 4 x S

Locking system: Digital **User manual:** Provided **Installation:** Free standing

[1] Data [2] Disc **T:** Tray **S:** Shelf

Storage Capacity

MODEL	FIRE CLASS	MEDIA QUANTITY (pcs)						
		4mm DAT	8mm/ AIT	CD	DLT	LTO/Ultrium (HP)	LTO/Ultrium (without case)	3590 Cartridge (without case)
DS1125EN	60 x Data 60 x Diskette	74	33	30	16	-	22	12
DS1530EN	60 x Data 60 x Diskette	150	54	53	20	-	36	22
DS1070EH	90 x Data 90 x Diskette	312	168	111	62	-	96	64
DT2825EH	120 x Data 120 x Diskette	580	285	282	126	132	171	144
DT2120EH	120 x Data 120 x Diskette	1276	627	564	294	308	399	288
DT2200EH	120 x Data 120 x Diskette	1972	969	940	462	484	627	480
DT2300EH	120 x Data 120 x Diskette	3944	1938	1880	924	968	1254	960

The Diplomat Data Safe range provides peace of mind when protecting CDs, external hard drives and other media devices.

Features and Benefits

- Safe and secure storage of media devices
- Adjustable shelf/shelves
- Large storage capacity
- Control access to business data and personal information
- Store laptops and external hard drives.

Body
Steel lining enclosing a barrier of styronite fire resistant material.

Door
Pressed steel construction enclosing a barrier of styronite fire resistant material. The door opens 180º to facilitate easy removal of the door for delivery or replacement.

Boltwork
The door is secured to the body by moving bolts at the top, bottom and opening side and also by fixed bolts on the hinge side. When the door is open the moving bolts remain retracted and automatically lock when the door is closed on most models. Automatic bolt action prevents damage to the boltwork and cabinet, and enables speedy locking in case of emergency.

Locking
The door is secured by a dual user high quality EDL digital lock.

Internal fittings
Adjustable shelves and trays are supplied with each safe (see table).

Finish
Leathertone painted finish.

Fire Tests
Fire Resistant and impact tested and certified.
KSG 4500, P-SITS – Korean Standards Association (KSA).
90P, 120P, NT Fire 017 – Swedish National Testing and Research Institute (SP)

Secure Key Cabinets

Designed for safe storage and easy handling of keys in office and stores.

KC64 KC100 KC200

These units are specifically designed to safely store keys with a choice of 3 different size units. They come with digital locking and anchoring holes on the back for easy installation.

Features and Benefits

- Ideal for safe and secure storage of keys
- Convenient and easy to use
- Adjustable numbered key racks
- Control access to fleet cars or other sensitive areas of the business.

Body
Solid 3mm steel construction.

Internal Layout
Numbered adjustable key racks.

Locking System
The door is secured by a dual user high quality EDL digital lock.

Specifications

MODEL	EXTERNAL (MM)			KEY HOLDING CAPACITY	WEIGHT KG
	HEIGHT	WIDTH	DEPTH		
KC64	364	344	135	64	12
KC100	555	430	179	100	23
KC200	555	430	179	200	26

Locking system: digital
Installation: mounting holes with wood screws supplied
User manual: Provided

security matters

Contact us now for more information on 131 539

New South Wales Victoria Queensland Western Australia South Australia ACT

www.apisec.com

API and Diplomat safes have made every effort to ensure that at the time of printing that information on our products and services are accurate in this catalogue. API recommends that you consult API or alternatively a Diplomat safe stockist in Australia before placing an order to confirm specifications of your preferred product. Colours may vary from printed photos and shipments imported are often from separate manufacturing entities and may slightly vary from a previous purchase.